ESC-LHIN Medical Equipment and Related Supplies

Ĺ

AKA



250 Tecumseh Road East • Windsor Ontario N8X 2R3 • Tel (519) 977-7200 • Fax (519) 977-7281

medi

Maxim ESC-LHIN Medical Equipment & Related Supplies

Category		
BATHROOM AIDS	1-3	
TOILETING AIDS	4-6	
SEATING	7-8	
BEDROOM AIDS	9-10	
PATIENT LIFTS AND SLINGS	11-13	
SURFACES	14	
CANES	15	
RAMPS	16-17	
TRANSFER AIDS	18-20	
WALKERS AND ACCESSORIES	21-23	
WHEELCHAIRS AND ACCESSORIES	24-26	
ENTERAL FEEDING	27-31	
SUCTION	32-35	
RESPIRATORY	36-38	
MASON POLES	39-40	

Bathroom Aids

ESC-LHIN Code	ltem	Item Description	Image		
2920	BATH BOARD (PLASTIC)	• Dimensions: 14.5"(W) x 30.5"(L) • Weight Capacity: 250 lbs.			
2910	BATH SEAT W/BACK ADJ	 Adjustable Height: 15.5" - 19.5" Dimensions (Outside Legs): 19.5"(W) x 19.5"(D) Weight Capacity: 400 lbs. Seat Dimensions 19.25"(W) x 11.5"(D) 			
2905	BATH SEAT/STOOL (NO BACK) ADJ	 Adjustable Height: 15.5" - 19.5" Dimensions (Outside Legs): 19.5"(W) x 19.5"(D) Weight Capacity: 400 lbs. Seat Dimensions 19.25"(W) x 11.5"(D) 			
0268	BATH SEAT W/BACK ADJ HEAVY DUTY	 Adjustable Height: 14" - 19" Dimensions (Outside Legs): 17.5"(W) x 17.25"(D) Seat Dimensions: 20"(W) x12" (D) Weight Capacity: 500 lbs. Seat Dimensions 19.25"(W) x 11.5(D) 			
0269	BATH SEAT/ STOOL (NO BACK) ADJ HEAVY DUTY	 Adjustable Height: 14" - 19" Dimensions (Outside Legs): 17.5"(W) x 17.25"(D) Seat Dimensions: 20"(W) x12" (D) Weight Capacity: 500 lbs. 			
MMS/ESC-LHIN	MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

Bathroom Aids

ESC-LHIN Code	ltem	Item Description	Image
0294	BATH SEAT W/ARMS STANDARD	 Adjustable Height: 16" - 21" Dimensions (Outside Legs): 17.75"(W) x 19.25"(D) Seat Dimensions: 16"(W) x 14.5"(D) Width Between Arms: 18.5" Weight Capacity: 300 lbs. 	
0245	BATH SEAT ROUND	 Adjustable Height: 13.5" - 21" Dimensions (Outside Legs): 12.5"(W) x 12.5"(D) Seat Dimensions: 13"(W) x 13"(D) Weight Capacity: 300 lbs. 	
2900	BATH TRANSFER BENCH BARIATRIC	 Please specify on Order handle on Left or Right Adjustable Height: 18.5" - 23.5" Outside Legs: 32.5"(W)x 24"(D) Seat Dimensions: 26.5" (W) x 16.5" (D) Weight Capacity: 500 lbs. 	
2915	BATH TRANSFER BENCH UNPADDED	 Please specify on Order handle on Left or Right Adjustable Height: 17.5" - 22.5" Outside Legs: 32"(W) x 23"(D) Seat Dimensions: 26"(W) x 18.5"-19.5"(D) Weight Capacity: 400 lbs. 	
0029	BATH TRANSFER BENCH PADDED	 Please specify on Order handle on Left or Right Outside Legs: 29"(W) x 19.75"(D) Seat Dimensions: 24"(W) x 16"(D) Seat Height: 17.75"(L) x 21.75"(H) Weight Capacity: 400 lbs. 	

Bathroom Aids

ESC-LHIN Code	ltem	Item Description	Image
0172	TUB TRANSFER BENCH LEG EXTENSIONS ORDERED AS A SET OF 4	 12" Length Adds up to 3" to the height of transfer bench To be ordered with Code 2900, 2915 or 0029 	
0190	CLAMP ON TUB RAIL NOT FOR USE WITH FIBERGLASS TUBS METAL	 Adjustable Clamp: 3" - 7" Height: 14.5" Health care provider to place a piece of tape at desired install location Weight Capacity: 300 lbs. SOME ACRYLIC TUBS MAY CRACK WITH THE PRESSURE OF THE CLAMP AND MAY DAMAGE THE TUB 	
0190-1	CLAMP ON TUB RAIL NOT FOR USE WITH FIBERGLASS TUBS PLASTIC	 Adjustable Clamp: 3" - 6.25" Height: 16.5" Health care provider to place a piece of tape at desired install location Weight Capacity: 300 lbs. SOME ACRYLIC TUBS MAY CRACK WITH THE PRESSURE OF THE CLAMP AND MAY DAMAGE THE TUB 	

maxim medical

Toileting Aids				
ESC-LHIN Code	ltem	Item Description	Image	
3000	COMMODE NO WHEELS, ADJ. HEIGHT	 Width: 18" between arms 25.75" Outside Seat Dimensions: 13.75"(W) x 16.5"(D) Adjustable Height: 16" - 21.75" Weight Capacity: 350 lbs. Includes 1 Pail OR 1 Splash Guard; Client may purchase extra Pail or Splash Guard for \$5 	AAA	
3015	COMMODE STATIONARY, DROP ARM	 Width: 19.75" between arms 23.5" Outside Seat Dimensions: 13.75"(W) x 16.5"(D) Adjustable Height: 20" - 24" Weight Capacity: 300 lbs. Includes 1 Pail OR 1 Splash Guard; Client may purchase extra Pail or Splash Guard for \$5 		
3010	COMMODE STATIONARY WIDE (HEAVY DUTY)	 Width: 23" between arms 27" Outside Seat Dimensions: 23.25"(W) x 18.5"(D) Adjustable Height: 15.5" - 22" Weight Capacity: 650 lbs. Includes Pail (Splash Guard not compatable) 		
3005	COMMODE WHEELED	 Four locking casters Seat to Floor Height: 22.25" Seat Width: 18.5" Weight Capacity: 350 lbs. 		
3020	RAISED TOILET SEAT (WITH LEG CUT OUT) RIGHT	• Height: 5 1/2″ • Weight Capacity: 250 lbs.		
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

Toileting Aids				
ESC-LHIN Code	ltem	Item Description	Image	
3020-1	RAISED TOILET SEAT (W/LEG CUT OUT) LEFT	• Height: 5 1/2″ • Weight Capacity: 250 lbs.		
3025-2	RAISED TOILET SEAT WITH CLAMPS 2 "	• Seat Dimensions: 14"(W) x 16"(D) • Weight Capacity: 400 lbs.		
3025-4	RAISED TOILET SEAT WITH CLAMPS 4 "	• Seat Dimensions: 14"(W) x 16"(D) • Weight Capacity: 400 lbs.		
1023	TOILET SEAT ELEVATOR 3.5" ELONGATED	 Product Dimensions: 3.5"(H) x 14"(W) x 19.25"(D) Height: 3.5" Fits onto most elongated toilets Weight Capacity: 300 lbs. 		
1023-1	TOILET SEAT ELEVATOR 3.5" ROUND	 Product Dimensions: 3.5"(H) x 13.5"(W) x 17.5"(D) Height: 3.5" Fits onto most round toilets Weight Capacity: 300 lbs. 		
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

maxim medical

Toileting Aids				
ESC-LHIN Code	ltem	Item Description	Image	
3030	VERSA FRAME	 NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Adjustable Height: 26" - 31" Height Adjustable Armrests: 26" - 31" Width Adjustment between Armrests: 8" - 24" Overall Depth: arm 16.75", at leg 12" Weight Capacity: 250 lbs. 		
0270	VERSA FRAME NO LEGS	NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Width Between Arms: 16.5" - 19.5" • Width Adjustable Handles: 16" - 18" • Weight Capacity: 300 lbs.		

maxim medical

Seatin	Seating				
ESC-LHIN Code	ltem	Item Description	Image		
2800-F	FOAM CUSHION 14"x 14"	 Cover Material: Fluid-Resistant Stretch Top Waterproof Vinyl Bottom Cushion Material: Aerated foam Weight Capacity: 250 lbs. 			
0271	FOAM CUSHION 16"x 16"	 Cover Material: Fluid-Resistant Stretch Top Waterproof Vinyl Bottom Cushion Material: Aerated foam Weight Capacity: 250 lbs. 			
0272	FOAM CUSHION 18"x 18"	 Cover Material: Fluid-Resistant Stretch Top Waterproof Vinyl Bottom Cushion Material: Aerated foam Weight Capacity: 250 lbs. 			
0273	FOAM CUSHION 22"x 22"	 Cover Material: Fluid-Resistant Stretch Top Waterproof Vinyl Bottom Cushion Material: Aerated foam Weight Capacity: 400 lbs. 			
2800-S	GEL CUSHION 16"x 16"	 Includes cushion cover Not restricted by weight limit 			
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281					

Seating				
ESC-LHIN Code	ltem	Item Description	Image	
2800-L	GEL CUSHION 18"x 18"	 Includes cushion cover Not restricted by weight limit 		
2805-SLP	DRY FLOATATION CUSHION 16X16'' Low Profile 2'' Height	 Includes Cushion Cover and Pump Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual Pump must be returned with cushion or client will be charged \$15 		
2805-LLP	DRY FLOATATION CUSHION 18"X18" Low Profile 2" Height	 Includes Cushion Cover and Pump Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual Pump must be returned with cushion or client will be charged \$15 		
2805-S	DRY FLOATATION CUSHION 16X16" HIGH PROFILE 4" HEIGHT	 Includes Cushion Cover and Pump Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual Pump must be returned with cushion or client will be charged \$15 		
2805-L	DRY FLOATATION CUSHION 18"X18" HIGH PROFILE 4" HEIGHT	 Includes Cushion Cover Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual Pump must be returned with cushion or client will be charged \$15 		
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

maxim medical

All product images shown are for illustration purposes only. Actual product may vary due to availability.

Bedroom Aids

ESC-LHIN Code	ltem	Item Description	Image		
3120	HOSPITAL BED (ELECTRIC WITH MATTRESS)	NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Dimensions 36" (W) x 88" (L) • Mattress cover provided at N/C • Bed Rails Ordered Separately (Use Code: 3125-F or 3125-S) • Client Weight Capacity: 350 lbs.			
3120-В	42" BARIATRIC HOSPITAL BED W/PARTIAL RAILS & MATTRESS	 NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Bed Height Adjustment: 17" - 27" Bed dimensions: 46.5"(W) (with rails) x 87"(L) Sleeping surface dimensions: 42" (W) x 80"(L) Client Weight Capacity: 500 lbs. 			
3125-F	HOSPITAL BED RAILS FULL	NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Overall Rail Length: 55" • Overall Height: 14.5" • Overall Width Between Rails: 36"			
3125-S	HOSPITAL BED RAILS SPLIT	 NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Dimensions: 37"(L) x 19"(H) Welded steel construction For use with Hospital Style Bed 			

Bedroom Aids ESC-LHIN Item **Item Description** Image Code • Safety strap secures rail to bedframe • Suitable for single, twin, double, gueen or king size bed; Please indicate **BED RAIL** mattress size on order notes 3110 ASSIST NOT suitable for hospital style bed **FIXED** • Dimensions: 11.5"(W) x 20.75"(H) x 21.5"(D) • Weight Capacity: 250 lbs. • Safety strap secures rail to bedframe • Suitable for single, twin, double, gueen BFD RAII or king size bed; Please indicate 3115 ASSIST mattress size on order notes **ADJUSTABLE** NOT suitable for hospital style bed • Weight Capacity: 250 lbs. • Safety strap secures rail to bedframe • Suitable for single, twin, double, queen or king size bed; Please indicate BED RAIL 3130 **M RAIL** mattress size on order notes • NOT suitable for hospital style bed Weight Capacity: 300 lbs. • Height Adjustable: 28" - 45" • Base Dimensions: 15.5"(D) x 26.5"(W) **OVFRBFD** 3135 • Tabletop Surface Dimensions: TABI F 15"(D) x 30"(W) • Weight Capacity: 40 lbs.

Patient Lifts and Slings

ESC-LHIN Code	ltem	Item Description	Image
2705	LIFT- ELECTRIC PATIENT LIFT	 NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Base Dimensions: 4.5"(H) Under-Bed Clearance, 41"(W) Open, 26.5"(W) Closed, 48"(L) Casters: 3" Front, 5" Rear - Locking Emergency Controls: Stop and Down Product Weight: 106 lbs. Weight Capacity: 450 lbs. 	S C C
0274	SLING- STANDARD SIT-TO-STAND	 Material: Polyester Nylon Dimensions: 44"(W) x 16"(L) Waist Belt: 60" Weight Capacity: 440 lbs. 	
0275	SLING- STANDARD SIT-TO-STAND	 Material: Polyester Nylon Dimensions: 58"(W) x 16"(L) Waist Belt: 84" Weight Capacity: 440 lbs. 	Non une
0276	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT SMALL	 Material: Polyester Overall Length: 59.8" Back Length: 29.2" Overall Width: 33" Weight Capacity: 450 lbs. 	

Patient Lifts and Slings

ESC-LHIN	ltore	Item Description	Imaga	
Code	ltem		Image	
0277	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT MEDIUM	 Material: Polyester Overall Length: 62.8" Back Length: 35.7" Overall Width: 37.5" Weight Capacity: 450 lbs. 		
0278	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT LARGE	 Material: Polyester Overall Length: 67.8" Back Length: 41.7" Overall Width: 41" Weight Capacity: 450 lbs. 		
0279	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT X-LARGE	 Material: Polyester Overall Length: 72.3" Back Length: 43.2" Overall Width: 44.5" Weight Capacity: 450 lbs. 		
2740-SM	SLING- UNIVERSAL SMALL	 Material: Polyester Nylon Dimensions: 58"(W) x 16"(L) Waist Belt: 84" Weight Capacity: 440 lbs. 		
2740-MED	SLING- UNIVERSAL MEDIUM	 Material: Spacer Mesh Fabric Overall Length: 56.1" Overall Width: 39.4" Weight Capacity: 500 lbs. 		
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

Patient Lifts and Slings

ESC-LHIN Code	ltem	Item Description	Image	
2740-LG L	SLING- JNIVERSAL LARGE	 Material: Spacer Mesh Fabric Overall Length: 61.2" Overall Width: 44.1" Weight Capacity: 500 lbs. 		
	sling- Jniversal X-large	 Material: Spacer Mesh Fabric Overall Length: 63" Overall Width: 46.9" Weight Capacity (XL): 550 lbs. 		
0280 W	SLING- L BODY MESH /HEAD, NECK ND PARTIAL NDER-THIGH SUPPORT MEDIUM	 Material: Mesh Polyester Overall Length: 54.7" Overall Width: 41.5" Weight Capacity: 450 lbs. 		
0281	SLING- L BODY MESH /HEAD, NECK ND PARTIAL NDER-THIGH SUPPORT LARGE	 Material: Mesh Polyester Overall Length: 60.5" Overall Width: 45.5" Weight Capacity: 450 lbs. 		
0282 W	SLING- L BODY MESH /HEAD, NECK ND PARTIAL NDER-THIGH SUPPORT X-LARGE	 Material: Mesh Polyester Overall Length: 55" Overall Width: 45" Product Weight Capacity: 600 lbs. 		

Surfaces ESC-LHIN Item Description Item Image Code NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Pressure Range: 30-80 mmHg • Cycle Time: 10 minutes MATTRESS Mattress Dimensions: 3105 ALTERNATING 80"(L) x 36"(W) x 8"(D) AIR MATTRESS •Power Cord: 10 ft. •To be used with hospital style bed • Weight Capacity: 350 lbs. NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Inflates to approximately 31"(W) x 74"(L) x 1 1/2"(D) MATTRESS 3100 ALTERNATING 10-foot long Power Cord **AIR OVERLAY** Pressure Range: 50-105 mmHg To be used with hospital style bed • Weight Capacity: 250 lbs. • Hospital bed size: 76" x 36" MATTRESS 3145 Mattress Cover provided at N/C SILICONE **OVERLAY** Not restricted by weight limit NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. To be ordered by OT referral ONLY V2 MATTRESS • To be used with hospital style bed • Dimensions: 36"(W) X 80"(L) X6"(H) REPLACEMENT 0283 Comes with 1 Roho Insert WITH 1 **ROHO INSERT** • Mattress Weight Capacity: 300 lbs. (Up To 350 lbs. with the use of Roho Mattress Section) NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. To be ordered by OT referral ONLY V2 MATTRESS • To be used with hospital style bed REPLACEMENT 0284 • Dimensions: 36"(W) X 80"(L) X6"(H) WITH 2 ROHO • Comes with 2 Roho Inserts **INSERTS** • Weight Capacity: 300 lbs. (Up To 350 lbs. with the use of Roho Mattress Sections)

Canes	j		
ESC-LHIN Code	ltem	Item Description	Image
2005	QUAD CANE SMALL BASE	• Adjustable Height: 30″ - 39″ • Weight Capacity: 500 lbs.	
2000	QUAD CANE LARGE BASE	• Adjustable Height: 30″ - 39″ • Weight Capacity: 500 lbs.	

Ramp	Ramps				
ESC-LHIN Code	ltem	Item Description	Image		
2600-1	RAMP WHEELCHAIR FOLDING OR TELESCOPIC MIN. 32"WIDTH AND 6' LENGTH	 Folded Dimensions: 36" x 14.5" x 6.3" Product Weight: 39 lbs. Weight Capacity: 600 lbs. 			
2600-2	RAMP WHEELCHAIR- FOLDING OR TELESCOPIC - 8' LENGTH	 Folded dimensions: 48" x 14.5" x 6.3" Product Weight: 54 lbs. Weight Capacity: 600 lbs. 			
2600-3	RAMP WHEELCHAIR FOLDING OR TELESCOPIC 10' LENGTH	 Folded dimensions: 60" x 14.5" x 6.3" Product Weight: 66 lbs. Weight Capacity: 600 lbs. 			
2600-4	RAMP WHEELCHAIR FOLDING OR TELESCOPIC MINIMUM 32" WIDTH AND 12' LENGTH	 Folded dimensions: 74.75" x 16" x 9.42" Product Weight: 54 lbs. Weight Capacity: 600 lbs. 			

Ramps

ESC-LHIN Code	ltem	Item Description	Image		
2600-5	RAMP WHEELCHAIR THRESHOLD MIN. 32" WIDTH AND RISE 3.75' - 4.25"	• Ramp Size: 30"(W) x 36"(L) • Weight Capacity: 600 lbs.			
2600-6	RAMP WHEELCHAIR THRESHOLD MIN. 32" WIDTH AND RISE 4.75' - 5.25"	• Ramp Size: 30"(W) x 36"(L) • Weight Capacity: 600 lbs.			
2600-7	RAMP WHEELCHAIR THRESHOLD MIN. 32" WIDTH AND RISE 5.75' - 6.25"	 Dimensions: 34"(W) x 32.75"(D) x 6"(H) Product Weight: 20 lbs. Weight Capacity: 700 lbs. 			

Transfer Aids **ESC-LHIN Item Description** ltem Image Code NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • For use with standard 8 Foot High (93"-100") ceilings; Stucco, drop or tile ceilings are not appropriate surfaces • Please advise the client that these are tension mounted poles and there may be some damage to the ceiling SUPER POLE or floor. The alternative is to screw it to the ceiling joists 2750 **STANDARD** • Health care provider to place a piece of tape at desired install location and mark in order notes placement • Weight Capacity: 300 lbs. (FOR CEILINGS OVER 8 FEET HIGH EXTENSION MUST BE ORDERED NON-FORMULARY REQUESTS REQUIRED) NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Bar pivots and locks every 45 degrees For use with standard 8 Foot High (93"-100") ceilings; Stucco, drop or tile ceilings are not appropriate surfaces SUPER POLE • Please advise the client that these are tension mounted poles and there may be some damage to the ceiling or floor The alternative is to WITH 2745 Health care provider to place a piece of tape at desired install HORIZONTAL location and mark in order notes placement BAR Weight Capacity: 300 lbs. (FOR CEILINGS OVER 8 FEET HIGH EXTENSION MUST BE ORDERED **NON-FORMULARY REQUESTS REQUIRED)** NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Heavy Duty model can only be used in applications with standard 8 Foot High (93"-100") ceilings • Please advise the client that these are tension mounted SUPER POLE 2770 poles and there may be some damage to the ceiling BARIATRIC or floor. The alternative is to screw it to the ceiling joists • Health care provider to place a piece of tape at desired install location and mark in order notes placement Weight Capacity: 450 lbs. NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Bar pivots and locks every 45 degrees SUPER POLE • Heavy Duty model can only be used in applications with standard 8 Foot High (93"-100") ceilings WITH • Please advise the client that these are tension mounted 2754 HORIZONTAL poles and there may be some damage to the ceiling BAR or floor. The alternative is to screw it to the ceiling joists • Health care provider to place a piece of tape at desired install location and mark in order notes placement BARIATRIC • Weight Capacity: 450 lbs.

Transf	Transfer Aids				
ESC-LHIN Code	ltem	Item Description	Image		
2755	TRANSFER SLIDE BOARD	 Product Size: 24"(L) Wood with Cut Out Handles Weight Capacity: 440 lbs. 			
0296	TRANSFER BELT LARGE	 Waist Size: 40"- 64" Pad Width: 5.5" with Four Handle Loops Side Release Buckle Not restricted by weight limit 			
0310	TRANSFER BELT MEDIUM	 Waist Size: 28" - 48" Pad Width: 5.5" with Four Handle Loops Side Release Buckle Not restricted by weight limit 			
0355	TRANSFER BELT SMALL	 Waist Size: 24"- 30" Pad Width: 5.5" with Four Handle Loops Side Release Buckle Not restricted by weight limit 			

Trans	Transfer Aids				
ESC-LHIN Code	ltem	Item Description	Image		
0107	EZ TURN TRANSFER DISC	 NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Adjustable height: 30" - 40" Adjustable knee supports Anti-slip surface to assist with patient transfer Weight Capacity: 300 lbs. 			
3166	TRAPEZE BAR W/STAND (FREESTANDING)	NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Dimensions: 72"(H) x 31"(W) x 51"(D) • Inside Width Between Legs: 26" • Outside Width Between Legs: 31" • Boom Length: 37" • Product Weight: 74 lbs. • Weight Capacity: 650 lbs.	A		

Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2100	WALKER NON-FOLDING EXTRA WIDE ADULT (BARIATRIC)	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable Height: 33" - 36" Width between grips: 22" For patients approximately 5'3" to 6' Weight Capacity: 850 lbs. 	
2150	WALKER FOLDING ADULT 2-WHEELED 32-39" WITH 5" SWIVEL WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NO 5" Swivel Wheels 17" inside hand grip 19" inside b Overall Width: 22" Adjustable Height: 32" - 39" Weight Capacity: 350 lbs. 	
2140	WALKER FOLDING ADULT 32-39"	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES 17" inside hand grip 19" inside back legs Overall Width: 22" Adjustable Height: 32" - 39" Weight Capacity: 350 lbs. 	
2145	WALKER FOLDING ADULT WITH GLIDERS 28.75-38.5", FIXED FRONT WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES 5" Caster Wheels 17" inside hand grip 18.75" inside back legs Overall Width: 24" Adjustable Height: 28.75" - 38.5" Weight Capacity: 300 lbs. 	
2165	WALKER FOLDING JUNIOR 2-WHEELED 25-32", WITH 5" SWIVEL WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES 5" Swivel Wheels 17" inside hand grip 19" inside back legs Overall Width: 22" Weight Capacity: 350 lbs. 	

Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2155	WALKER FOLDING JUNIOR 25-32"	PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES • 17" inside hand grip 19" inside back legs • Overall Width: 22" • Adjustable Height: 25" - 32" • Weight Capacity: 350 lbs.	
2160	WALKER FOLDING JUNIOR WITH GLIDERS 28.75-38.5" FIXED FRONT WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES 5" Caster Wheels 17" inside hand grip 18.75" inside back legs Overall Width: 24" Adjustable Height: 28.75" - 38.5" Weight Capacity: 300 lbs. 	
2105	WALKER-HEMI	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Overall Dimensions: 18.5" (W) x 16" (D) Height Adjustable: 28.5" - 35.5" Weight Capacity: 300 lbs. 	A
2200-L	WALKER FOREARM GUTTER/TROUGH LEFT ARM	 Adjustable handgrip 12" above walker height Client weight not to exceed weight capacity of walker Weight Capacity: 300 lbs. 	
2200-R	WALKER FOREARM GUTTER/TROUGH RIGHT ARM	 Adjustable handgrip 12" above walker height Client weight not to exceed weight capacity of walker Weight Capacity: 300 lbs. 	

Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
0287	TYPE 3 ROLLATOR WALKER SIDEWAYS FOLDING SUPER LOW 8" WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable handle height: 27.5" - 30.5" Distance between handles: 17.5" Overall Width: 24" Fixed Seat Height: 18.5" Weight Capacity: 330 lbs. 	
0288	TYPE 3 ROLLATOR WALKER SIDEWAYS FOLDING LOW 8" WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable handle height: 29.5" - 33.5" Distance between handles: 17.5" Overall Width: 24" Fixed Seat Height: 21" Weight Capacity: 330 lbs. 	
0289	Type 3 Rollator Walker Sideways Folding Standard 8" Wheels	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable handle height: 32.5" - 36.5" Distance between handles: 17.5" Overall Width: 24" Fixed Seat Height: 24" Weight Capacity: 330 lbs. 	
0290	TYPE 3 MAXI+ LOW HEAVY DUTY ROLLATOR 8" WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable handle height: 29" - 35" Distance between handles: 21.5" Overall Width: 27.5" Fixed Seat Height: 22" Weight Capacity: 440 lbs. 	
0356	TYPE 3 MAXI+ STANDARD HEAVY DUTY ROLLATOR 8" WHEELS	 PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES Adjustable handle height: 29" - 35" Distance between handles: 21.5" Overall Width: 27.5" Fixed Seat Height: 25.5" Weight Capacity: 440 lbs. 	

Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2400	WHEELCHAIR COMPANION 17 "	 With Removable, Swing- Away Leg Rests and Flip Back Arm Rests Seat Height: 19" Solid 8" caster wheels Product Weight: 20.5 lbs. Weight Capacity: 300 lbs. 	
2405	WHEELCHAIR COMPANION 19″	 With Removable, Swing- Away Leg Rests and Flip Back Arm Rests Seat Height: 19" Solid 8" caster wheels Product Weight: 20.5 lbs. Weight Capacity: 300 lbs. 	
2414	STANDARD HEIGHT: FOLDING 14" WHEELCHAIR - WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND FLIP BACK DESKARM RESTS	 Swingaway footrests with tool free height adjustment and calf strap Seat Height: 19" Product Weight: 37 lbs. Weight Capacity: 150 lbs. 	
2410	STANDARD HEIGHT: FOLDING 16" WHEELCHAIR - WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	 Seat Height: 17.5" - 19.5" Product Weight: 40 lbs. Weight Capacity: 350 lbs. 	

Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2415	STANDARD HEIGHT: FOLDING 18" WHEELCHAIR WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 41 lbs. • Weight Capacity: 350 lbs.	
2420	STANDARD HEIGHT: FOLDING 20" WHEELCHAIR WITH ANTI-SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 42 lbs. • Weight Capacity: 350 lbs.	
2425	HEAVY DUTY 22" WHEELCHAIR WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 57 lbs. • Weight Capacity: 450 lbs.	

Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	Image	
2210	AMPUTEE BOARD 16" x 16"	 Can use RIGHT and/or LEFT side One foam stump cushion included PLEASE SPECIFY IF 2 STUMP CUSHIONS ARE REQUIRED IN ORDER NOTES 		
0357	AMPUTEE BOARD 18" x 18"	 Can use RIGHT and/or LEFT side One foam stump cushion included PLEASE SPECIFY IF 2 STUMP CUSHIONS ARE REQUIRED IN ORDER NOTES 		
2245-L	WHEELCHAIR LEG REST ELEVATING LEFT	 Articulating Leg Rest for Manual Wheelchairs Overall Length: 19" - 26.5" Not suitable for Companion Wheelchairs 		
2245-R	WHEELCHAIR LEG REST ELEVATING RIGHT	 Articulating Leg Rest for Manual Wheelchairs Overall Length: 19" - 26.5" Not suitable for Companion Wheelchairs 		
2225	WHEELCHAIR SEATBELT	DELIVERY ONLY AS INSTALLATION IS REQUIRED. • Auto Style Closure Nylon Belt • Fits Waist Size up to 48" • Not restricted by weight limit		
MMS/ESC-LHIN	Cat.Ver. 4.0 (April 2020)	250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (51	9) 977-7200 Fax (519) 977-7281	

Enteral Feeding Equipment

ESC-LHIN Code	ltem	Item Description	Image
3225	KANGAROO JOEY FEEDING PUMP WITH POLE-CLAMP	 Kangaroo Joey Feeding Pump Pole-Clamp Only A/C Adaptor Must Order Feeding Kit separately Must Order NG tube separately (if applicable) 	
3225-P	KANGAROO JOEY PUMP WITH POLE-CLAMP & INFUSION POLE	 Kangaroo Joey Feeding Pump IV Pole Pole-Clamp A/C Adaptor Must Order Feeding Kit separately Must Order NG tube separately (if applicable) 	
3225-В	KANGAROO JOEY PUMP WITH BACKPACK	 Kangaroo Joey Feeding Pump Kangaroo Joey Backpack A/C Adaptor Must Order Feeding Kit separately Must Order NG tube separately (if applicable) 	

Enteral Feeding Kits

ESC-LHIN Code	ltem	Item Description	Image	
FE01-SV	ENTERAL FEEDING KIT SMALL VOLUME (OPEN SYSTEM)	Kit Includes: • (14) Enteral Feed Pump Set - 500ml • (3) Catheter Tip Syringe, 35ml • (1) Luer Lock Syringe, 30ml	A Contraction of the second seco	
FE01 - LV	ENTERAL FEEDING KIT LARGE VOLUME (OPEN SYSTEM)	Kit Includes: • (14) Enteral Feed Pump Set - 1000ml • (3) Catheter Tip Syringe, 60ml • (1) Luer Lock Syringe, 30ml		
FE01-FS	ENTERAL FEEDING KIT LARGE VOLUME WITH FLUSH SET (OPEN SYSTEM)	Kit Includes: • (14) Enteral Feed and Flush Set -1000ml • (3) Catheter Tip Syringe, 60ml • (1) Luer Lock Syringe, 30ml		
FE10	ENTERAL FEEDING KIT WITH SAFETY SCREW SPIKE (CLOSED SYSTEM)	 Kit Includes: (14) Enteral Feed Pump Safety Screw Spike and Flush Set - 1000ml (3) Catheter Tip Syringe, 60ml (1) Luer Lock Syringe, 30ml 		
FE10-FS	ENTERAL FEEDING KIT WITH FLUSH SET (CLOSED SYSTEM)	 Kit Includes: (14) Enteral Feed Pump Safety Screw Spike and Flush Set - 1000ml (3) Catheter Tip Syringe, 60ml (1) Luer Lock Syringe, 30ml 	The second s	
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

Enteral Feeding Kits

ESC-LHIN Code	ltem	Item Description	Image
FE01-G	ENTERAL FEEDING KIT GRAVITY (OPEN SYSTEM)	 Kit Includes: (14) Enteral Gravity Feeding Bag - 1000ml (3) Catheter Tip Syringe, 60ml (1) Luer Lock Syringe, 30ml 	End of the second

Enteral Feeding Supplies

ESC-LHIN Code	ltem	Item Description	Image
FE-PO05	NASOGASTRIC (NG) FEEDING TUBE 5 FR	 Made of polyurethane 30 day use Size 5Fr 	
FE-FT06	NASOGASTRIC (NG) FEEDING TUBE 6.5 FR	 Made of polyurethane 30 day use Size 6.5Fr 	
FE-PO08	NASOGASTRIC (NG) FEEDING TUBE 8 FR	 Made of polyurethane 30 day use Size 8Fr 	

Enteral Feeding Supplies

ESC-LHIN Code	ltem	Item Description	lmage		
SY-60MLOR	MONOJECT SYRINGE 60ML	 Purple Plunger Tip will not accept hypodermic needle Tip cap included 			
ENO7-Y	CORPAK "Y" EXTENSION KIT	 Y-extension set preserves Y-port on G-tubes or feeding tubes 5 inch tubing length 8 inch overall length 			

Suction Equipment

ESC-LHIN Code	ltem	Item Description	Image		
3235	SUCTION UNIT STATIONARY	 Vacuum Range 80-550 mmHg Flow Range 27 LPM Free Flow, Unrestricted A/C Adaptor Must order Supply Kit (LHIN Code SU01-O) 			
3235-P	SUCTION UNIT PORTABLE	 Vacuum Range 80-550 mmHg Flow Range 27 LPM Free Flow, Unrestricted Carrying Case Included Battery Included A/C Adaptor Must order Supply Kit (LHIN Code SU01-O) 			

Suctio	Suction Kits				
ESC-LHIN Code	ltem	Item Description	Image		
SU01-O	SUCTION SUPPLIES KIT	Kit Includes: • (2) Canister 800ml with lid • (2) Connection Tubing • (2) Tonsil Tip Bulb without Vent			
SUNG14-K	GASTRIC SUCTIONING KIT 14FR	Kit Includes: • (2) Suction Canister 2000ml with lid • (2) Suction Connection Tubing • (2) Nasogastric Tube - 14Fr			
SUNG16-K	GASTRIC SUCTIONING KIT 16FR	Kit Includes: • (2) Suction Canister 2000ml with lid • (2) Suction Connection Tubing • (2) Nasogastric Tube - 16Fr			

Suction Supplies

MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020)

ESC-LHIN Code	ltem	Item Description	lmage	
SU06	SUCTION CATHETER 6 FR	 Size: 6Fr Thumb Control Graduation markings Straight pack Sterile Latex free 		
SU08	SUCTION CATHETER 8 FR	 Size: 8Fr Thumb Control Graduation markings Straight pack Sterile Latex free 		
SU10	SUCTION CATHETER 10 FR	 Size: 10Fr Thumb Control Graduation markings Straight pack Sterile Latex free 		
SU12	SUCTION CATHETER 12 FR	 Size: 12Fr Thumb Control Graduation markings Straight pack Sterile Latex free 		
SU14	SUCTION CATHETER 14 FR	 Size: 14Fr Thumb Control Graduation markings Straight pack Sterile Latex free 		

250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281

Suctio	Suction Supplies				
ESC-LHIN Code	ltem	Item Description	Image		
SU03	YANKAUER BULB TIP WITH VENT	• Bulbous tip, vented • Single use • Sterile			

Respiratory Equipment

ESC-LHIN Code	ltem	Item Description	Image
3205	COMPRESSOR AEROSOL	 Medication capacity: 6 ml Particle size: 0.5 to 5 µm Average nebulization rate: 0.2 - 0.5 ml/min Operation pressure: 35 to 45 psi Air flow: 6 - 9 lpm Must order with supply kit (LHIN Code NU01 or NU02) 	
3210	Compressor High Humidity	 Maximum Humidity: Max 95% non-condensing Max Sustained Pressure: 60 psig (PM15P) Mode of Operation: Continuous Must order supply kit (LHIN Code NU00-A or NU00-P) Must order Distilled Water (LHIN Code NU08) 	Current and a construction of the construction

Respiratory Kits

ESC-LHIN Code	ltem	Item Description	Image
NU01	AEROSOL KIT ADULT	Includes: • (1) Nebulizer cup • (1) Adult aerosol mask • (1) 7 foot oxygen tube • Latex Free	
NU02	AEROSOL KIT PAEDIATRIC	Includes: • (1) Nebulizer cup • (1) Paediatric aerosol mask • (1) 7 foot oxygen tube • Latex Free	
NU00-A	HIGH HUMIDITY TRACH KIT ADULT	Includes: • (1) Trach Mask - Adult • (1) Corrugated Tubing (Trach) - 6 Foot • (1) Nebulizer Bottle - 350ml - For High Humidification (LHIN Code NU03)	
NU00-P	HIGH HUMIDITY TRACH KIT PAEDIATRIC	Includes: • (1) Trach Mask - Paediatric • (1) Corrugated Tubing (Trach) - 6 Foot • (1) Nebulizer Bottle - 350ml - For High Humidification (LHIN Code NU03)	

Respiratory Supplies

ESC-LHIN Code	ltem	Item Description	Image
NU08	DISTILLED WATER - 4L	• Distilled water (4L) Must be ordered with LHIN Code 3210	
NU03	NEBULIZER BOTTLE HIGH HUMIDIFICATION	• Airlife Jet Nebulizer 350ml - Empty	

Mason Poles

ESC-LHIN Code	ltem	Item Description	Image
0234	CUSTOM MASON I.V. POLE SUPER	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0235	CUSTOM MASON I.V. POLE THE BAT	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0236	CUSTOM MASON I.V. POLE WONDER	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0237	CUSTOM MASON I.V. POLE M. MOUSE	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0238	CUSTOM MASON I.V. POLE PRINCESS	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
MMS/ESC-LHIN Cat. Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281			

Mason Poles

ESC-LHIN Code	ltem	Item Description	Image
0239	CUSTOM MASON I.V. POLE SPIDEY	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0240	CUSTOM MASON I.V. POLE CAP	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0241	CUSTOM MASON I.V. POLE OWL	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0242	CUSTOM MASON I.V. POLE CUPCAKE	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0295	CUSTOM MASON I.V. POLE MASEMAN Cat. Ver. 4.0 (April 2020)	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (51)	