**HOME AND COMMUNITY CARE** SUPPORT SERVICES Erie St. Clair

## SERVICES DE SOUTIEN À DOMICILE ET EN MILIEU COMMUNAUTAIRE

Érié St-Clair

## **First Dose Parenteral Medication Screener** Adults 18 years+

Adults 18 years+	Teleph	ione: 1-888-447-4468	Fax: 519-258-6288
Patient Information			
Surname:	First Name:	Date of Birth:	HCN:

180 Riverview Drive Chatham Ontario, N7M 5Z8

## Do not Complete Screener if:

- Patient has received medication previously with no previous adverse reaction.
  - **ACTION:** Send referral with accompanying medical orders to service provider for processing.
- Patient is taking a medication on the list of medications considered high risk for adverse reactions (below). **ACTION:** Do not send referral to service provider, patient is not eligible for first dose in the community setting.

High Risk Medications for Adverse Reactions not considered for First Dose IV Administration in the Community: Amphotericin B Deoxycholate, Antineoplastics, Bisphosphonates, Investigational medications

Screener				
Must answer <b>No</b> to these questions to be eligible to receive the first dose in the nursing clinic or home setting				
	Yes	No		
Does patient have any serious allergies, adverse reactions or anaphylactic reactions to the ordered medication, or related drugs or anaphylaxis of unknown origin?				
Is the ordered medication amphotericin B deoxycholate, an antineoplastic, a bisphosphonate or an investigational medication?				
Must answer <b>Yes</b> to these questions to be eligible to receive first dose in the home or clinic setting				
Does the patient have a working telephone to reliably access 911?				
Can patient or substitute decision maker consent to treatment?				
Will there be a capable adult (18 years or older) present in the home during and after medication administration?				
Is access to EMS and/or the hospital emergency department within 30 minutes of home or nursing clinic?				
Important information for dose administration				
Is the patient currently on beta-blockers?				
Is the patient currently on ACE inhibitors?				

I have explained the risks of having the first dose in the community to the patient/ substitute decision maker and the patient/substitute decision maker has given verbal consent.

## **NOTE TO PRESCRIBERS:**

- This is a screening tool to help determine appropriateness of a patient receiving first dose of a parenteral medication in the community.
- Even if all criteria are met, it is at the discretion of the Service Provider Organization to determine if the first dose will be administered.
- First dose requests may take longer to process and are not appropriate for urgent requirements.

Prescriber Name	Signature	Date (dd/mmm/yyyy)

